

ANGUS

BEEF BULLETIN

"The Commercial Cattleman's Angus Connection"

Volume 20, Number 2 • February 2005



(PHOTOS BY SHALINA ROSE HERMEL)

Nutrition and Reproduction

Interactions

Story by
TROY SMITH

Great advances have been achieved through genetic selection, but it's still difficult to select for increased reproductive performance. As they are currently measured, direct reproductive traits are not highly heritable. The environment, however, looms large in importance to reproductive success.

Fortunately, producers usually have some control over certain environmental factors, including the most important one —

nutrition. So, producers need to know how nutrition can affect reproduction, for better or for worse. A review of the basics never hurts, so consider some specific nutrition and reproduction interactions (see Table 1, page 6).

First, producers should remember that providing a balanced diet to females is most critical during the last trimester of pregnancy and through the breeding season. Late gestation brings increased nutritional demands, and those demands increase even more during early lactation. Among the functions

fuelled by nutrients, reproduction typically takes a back seat to feeding a calf and the cow's own body maintenance. Consequently, thin cows often do not rebreed.

"Body condition is correlated with several reproductive events, such as postpartum interval, services per conception, calving interval, milk production, calving difficulty and calf survival. And all of those bear upon the net income of a cow-calf operation," says Rick Funston, University of Nebraska Extension reproductive physiologist.

"Body condition is the single most important factor controlling when beef heifers and cows will resume cycling after calving. Body condition at calving also influences response to postpartum nutrient intake. Cattle should have a body condition score (BCS) of 5 or 6 (on

(Continued on page 6)

INSIDE

Features & News

Is your bull doing his duty?	17
Ubiquitin offers alternative fertility test.	20
Winter management of the herd bull.	22
Dissecting a registration certificate.	28
AngusSource program provides a way to market cattle with detailed records.	32
A necropsy may open the door to answers needed to protect your herd.	43
New vaccine opens door to possibilities.	46
Yield grades — cause and effect.	49
Angus herd expands by measuring, selecting cows that work.	54
CAB recognizes monthly honorees.	62
Selling cattle on a grid brings more profit.	64
Top NACC winners announce d.	69
Dietary guidelines show importance of meat, poultry.	76
Just over the hill may be opportunities to trade carbon credits for cash.	78
Are grazing managers getting a mixed message?	84
Carefully consider costs and benefits when creating an irrigation plan.	94
Stored feed supplies could carry toxins.	107
Manage winter feed supplies.	114
Consumers are willing to pay for local, organic foods.	120
Managing floods on the farm.	122
Producers find more options and opportunities with registered Angus.	128
New liver vaccine approved.	142
Treatment and prevention are key to preventing calf loss from pneumonia.	146
Plan ahead to prevent calf scours.	164
Breeding by appointment explained.	166

Column Links

• Up Front	11
• Association Highlights	12
• Commercial Programs Department	14
• Back to Basics	36
• Veterinary Link	39
• Certified Angus Beef LLC	58
• Here's the Premium	66
• Beef Talk	82
• Industry Link	98
• New Products	130
• Research Link	134
• Market Advisor	144
• Angus Sales	150
• Advertiser Index	168

Staff

• Angus Productions Inc.	6
• American Angus Association	12
• Certified Angus Beef LLC	60
• Regional Managers	93

Services

• American Angus Association membership form	30
• Angus Journal subscription form	83
• National Junior Angus Association membership information	97

ON THE 'NET

www.angusbeefbulletin.com

www.angusproductions.com

www.angusjournal.com

www.rangebeefcow.com

www.4cattlemen.com

www.BIFconference.com

www.angus.org

www.certifiedangusbeef.com

Subscribe to API's online news service at
www.anguselist.com

Interactions (from page 1)



Inadequate daily energy intake is the most common cause of reduced performance among cattle on forage diets.

a 9-point scale) at calving and through breeding to assure optimum reproductive performance," Funston adds. (For tips on how to score your cows for body condition, visit www.cowbcs.info, which features photos, video clips and explanations.)

Energy and protein

The nutrients that bear most heavily on body condition are energy and protein. Inadequate daily energy intake is the most common cause of reduced performance among cattle on forage diets. This is particularly true for cattle on low-quality forage diets, because low energy intake often stems from a protein deficiency. According to Funston, rumen microbial activity necessary for efficient forage utilization is hampered when forage diets contain less than 7% crude protein (CP).

"If protein requirements are not met, forage intake and digestibility go down. Correcting a protein deficiency is usually the first step in formulating a supplementation program for cattle on low-quality forage," he adds. "But fixing the protein problem often fixes the energy problem, too."

Funston says problems also result from too much of a good thing. Overfeeding of either energy or protein is costly and can have negative effects on reproduction. Females carrying excess body

condition (greater than BCS 7) may experience more calving difficulty and lower reproductive performance than cows or heifers in moderate condition.

Overfeeding protein during the breeding season may compromise fertility, particularly when animals also receive inadequate energy. This is thought to result from decreased uterine pH during the luteal phase of the estrous cycle. The combination of high levels of degradable protein and low energy concentrations in early-season grasses may result in lower fertility rates in females placed on such pastures near the time of breeding.

Minerals

Funston says current knowledge about the nutritional roles of minerals might be likened to the tip of an iceberg. Certainly, the complex interactions of minerals and other nutrients are important to all physiological processes, including reproduction. Salt (sodium chloride) is the most important mineral in terms of need. Normally, feedstuffs do not contain sufficient amounts to meet beef animal requirements, so salt should be provided free-choice at all times.

An old rule of thumb says forages low in protein will also likely be low in phosphorus (P). Most mature forages are deficient in this mineral, and phosphorus deficiencies have been associated with reproductive problems. Diets should be evaluated and supplemented accordingly, but Funston cautions producers against overfeeding phosphorus. It is expensive and there is no added benefit to reproductive performance. Furthermore, excessive phosphorus supplementation may pose an environmental concern.

Funston advises a careful look at the mineral content of diets that incorporate coproducts produced by the ethanol or grain-milling industries. These products often contain high levels of phosphorus.

Calcium (Ca) is generally adequate in forage-based diets. However, it is included in most commercial mineral mixes because many phosphorus sources also contain calcium. Other

(Continued on page 8)



Table 1: Effects of nutrient excesses or deficiencies on reproduction

Nutrient consumption	Reproductive consequence
Excessive energy intake	Low conception, abortion, dystocia, retained placenta, reduced libido
Inadequate energy intake	Delayed puberty, suppressed estrus and ovulation, suppressed libido and spermatozoa production
Excessive protein intake	Low conception rate
Vitamin A deficiency	Impaired spermatogenesis, anestrus, low conception, abortion, weak offspring, retained placenta
Phosphorus deficiency	Anestrus, irregular estrus
Selenium deficiency	Retained placenta
Copper deficiency	Depressed reproduction, impaired immune system, impaired ovarian function
Zinc deficiency	Reduced spermatogenesis

Source: Taken from "Proceedings: Applied Reproductive Strategies in Beef Cattle," courtesy of North Central Region Bovine Reproductive Task Force and University of Nebraska. Reprinted from summary by H.J. Beard and J.W. Fuquay, 1992, "Nutritional Management, Applied Animal Reproduction."

Founded March 1985
ANGUS
BEEF BULLETIN
"The Commercial Cattleman's Angus Connection"

Produced and published six times per year by Angus Productions Inc. in cooperation with the American Angus Association and Certified Angus Beef LLC.

3201 Frederick Ave. • Saint Joseph, MO 64506-2997
phone: (816) 383-5200 • fax: (816) 233-6575
office hours: (M-F) 8 a.m.-4:30 p.m. (Central time)
Web site: www.angusbeefbulletin.com

Staff are listed by name, phone extension and e-mail prefix. All direct phone numbers are "(816) 383-5..."; all e-mail addresses are "...@angusjournal.com"

General manager – Terry Cotton, 214, tcotton

Editorial Department

Editor – Shauna Rose Hermel, 270, shermel;
Associate editor – Corinne Patterson, 277, cpatterson; **Assistant editors** – Crystal Albers, 215, calbers; & Brooke Byrd, 244, bbyrd; **Artists** – Christy Benigno & Mary Black

Field editors

Barb Baylor Anderson, 305 Valley View Dr., Edwardsville, IL 62025, (618) 656-0870, anderagcom@sbcglobe.net; **Kindra Gordon**, 609 Deerfield Court, Spearfish, SD 57783, (605) 722-7699, kindras@gordonresources.com; **Janet Mayer**, 259 Mile Hill Rd., Johnstown, PA 15909, (814) 322-4687, jmayer5013@aol.com; **Becky Mills**, Rt. 1, Box 414, Cuthbert, GA 31740, (229) 732-6748, lovettmills@alltel.net; & **Troy Smith**, HC 72, Box 18A, Sargent, NE 68874, (308) 527-3483; wordsmith@nctc.net

Advertising/Production Department

Manager – Cheryl Oxley, 216, coxley;
Advertising coordinators – Doneta Brown, 289, dbrown; & Rich Masoner, 223, rmasoner;
Production assistant – Carol Beckett, 226, cbeckett; **Advertising artists** – Tim Blumer, Mike Bush & Monica Ford; **Advertising proofreader** – Jacque McGinness

Special Services Department

Coordinator – Sharon Mayes, 221, smayes; **Artists** – Susan Bomar & Angela Gergeni; **Assistant** – Vickie Whitsell; **Proofreader** – Linda Robbins

Web Marketing Department

Coordinator – Annie Jensen, 239, ajensen;
Artists – Tim Blumer & Ray Palermo

Photo Department

Coordinator – Tanya Peebles, 217, tpeebles;
Digital imaging specialist – Kathrin Gresham

Circulation coordinator – LaVera Spire, 220, lspire

Network systems coordinator – Bruce Buntin

Office assistant – Lauralee West

Angus Productions Inc. Board of Directors

Chairman – Ben Eggers
Vice chairman – John Crouch
President – Terry Cotton
Secretary/Treasurer – Richard Wilson
Directors – Greg Blythe, Bill Davis, Joe Hampton, Jot Hartley, Paul Hill & Jay King



Interactions*(from page 6)*

macrominerals include magnesium (Mg), potassium (K), chlorine (Cl) and sulphur (S). Deficiencies and excesses of these minerals may hinder reproduction. The need for supplementation depends on the levels at which the respective minerals are present in the diet. The

same is true for trace or microminerals, including copper (Cu), cobalt (Co), iodine (I), iron (Fe), manganese (Mn) and zinc (Zn). Funston reminds producers that analysis of stock water is advisable since water may be a significant source of minerals that affect reproductive function.

Vitamins

While vitamins are important to all animal diets, requirements for most of them are met without supplementation. Vitamins C, D, E and B-complex are either synthesized by rumen microorganisms, synthesized by the body or available in common feedstuffs. Vitamin A, however, typically is deficient in

mature range and pasture, crop residues, and other low-quality forages. Funston says vitamin A does play a role in embryo development. Supplementation before and after calving may increase conception rates.

Ionophores

Research has shown that feeding an ionophore can enhance reproductive performance. Cows and heifers whose diets include sufficient energy and an ionophore usually exhibit shorter postpartum intervals. Studies also have demonstrated that adding an ionophore to heifer development rations will encourage earlier onset of puberty.

Fat supplementation

There has been much discussion about feeding fat to increase energy density of high-roughage diets and to exert a direct effect on reproduction. Evidence suggests fat supplementation can affect several organs involved with reproduction, including the hypothalamus, anterior pituitary gland, ovaries and uterus. Funston says researchers haven't figured out exactly how to supplement fat to enhance reproductive performance beyond the energy contribution. Complicating the matter is the fact that negative responses also have been reported.

For example, some studies indicate fat supplementation during late gestation may help improve pregnancy rates during the upcoming breeding season. However, most studies show fat supplementation after calving is of limited value. Some recent research associated the feeding of fat high in linoleic acid with increased prostaglandin production in postpartum females and a decrease in production of several hormones important to normal reproductive function.

Research, Funston says, has produced varied and inconsistent results, including positive, negative and no apparent effect. Animal response appears to be dependent upon body condition, age, nutrients available in the basal diet and the type of fat supplement fed. Positive responses reported in some studies may be a result of adding energy to the diet through the fat supplement or direct effects of specific fatty acids.

"The fat source may be the key, because fats are not all the same. Different fats may have different effects," Funston says. "Until these interrelationships are better understood, producers are advised to strive for low-cost, balanced rations. If a source of supplemental fat can be added with little or no change in the ration cost, producers would be advised to do so."